

=> IFW: **Scan as Doc Code: SRNT <=**
Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/748,556

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

US 20050143679 A1	US- PGPUB	20050630	7	Massage glove	601/15	601/46; 601/72	Gelber, Mitchell I et al.
US 20050030310 A1	US- PGPUB	20050210		Integrated object bend, squash and stretch method and apparatus	345/473		Hunter, Steven Clay et al.
US 20050007370 A1	US- PGPUB	20050113		Integrated object squash and stretch method and apparatus	345/473		Hunter, Steven Clay et al.
US 20040210551 A1	US- PGPUB	20041021		Method and apparatus for finding differences between two computer files efficiently in linear time and for using these differences to update computer files	707/1		Jones, Kerry N. et al.
US 20030207779 A1	US- PGPUB	20031106		Composition and method for cleaning and disinfecting a garbage disposal	510/194	510/425; 510/503; 510/504	Wise, William S
US 20010039681 A1	US- PGPUB	20011115		SYSTEM AND METHODS FOR MATTRESS CONTROL IN RELATION TO PATIENT DISTANCE	5/713		JOHNSON ROYCE W. et al.
US 20010003738 A1	US- PGPUB	20010614		Composition and method for cleaning and disinfecting a garbage disposal	510/391	510/382; 510/490; 510/499; 510/504	Wise, William S
US 6966446	USPAT	20051122		Elongated	211/113	206/806;	Wise;

B1				plastic strip		211/118	Thomas A et al.
US 6732747 B2	USPAT	20040511		Composition and method for cleaning and disinfecting a garbage disposal	134/22.14	134/22.19; 134/25.2; 134/25.3; 134/39; 134/40; 134/42; 510/194; 510/195; 510/199; 510/367; 510/372; 510/375; 510/384; 510/391; 510/395; 510/504	Wise; William S
US 6560804 B2	USPAT	20030513		System and methods for mattress control in relation to patient distance	5/713	250/231.1; 340/555; 362/276; 362/318; 5/655.3; 5/706; 5/709; 5/714; 5/905	Wise; William L et al.
US 6554007 B2	USPAT	20030429		Composition and method for cleaning and disinfecting a garbage disposal	134/22.14	134/22.19; 134/25.2; 134/25.3; 134/39; 134/40; 134/42; 510/194; 510/195; 510/199; 510/384; 510/391; 510/395; 510/504	Wise; William S
US 5783923 A	USPAT	19980721		Method and apparatus for multiple-input, multiple output feedback control of	318/601	318/615; 318/683; 331/17; 331/25; 331/DIG.2; 388/809	Wise; William L

			variable load systems				
US 5777871 A	USPAT	19980707	Method and apparatus for compensation for operator in a closed-loop control system	700/29			Wise; William L
US 5487595 A	USPAT	19960130	Dual hysteresis method of generating square waves from automotive wheel speed signals	303/168	303/122.05; 324/166; 701/70		Wise; William L et al.
US 5477472 A	USPAT	19951219	Dual hysteresis method of generating square waves from non-uniform cyclical signals	702/126	324/76.12; 324/76.39		Wise; William L et al.
US 5459732 A	USPAT	19951017	Method and apparatus for anti-lock brake single channel wheel speed processing with diagnosis	701/76	702/108; 702/120; 702/148; 714/735; 714/736		Wise; William L et al.
US 5418453 A	USPAT	19950523	Method of measuring wheel speed sensor impedance	324/160	324/525		Wise; William L
US 5406485 A	USPAT	19950411	Method and apparatus for detecting faulty operation of a wheel speed sensor	701/29	303/122.05; 701/76; 702/116; 702/58		Wise; William L et al.
US 5404304 A	USPAT	19950404	Vehicle control system for determining verified wheel speed signals	700/304	303/122.08; 701/71; 702/148		Wise; William L et al.

US 5352938 A	USPAT	19941004	Analog to digital signal conversion	327/72	327/58; 327/65	Wise; William L et al.
US 5173649 A	USPAT	19921222	Method and apparatus for improving dynamic response of a feedback control loop by generating a common-mode gain	318/615	318/611; 318/619; 318/632	Wise; William L
US 4839573 A	USPAT	19890613	Method and apparatus for feedback control loop bandwidth and phase margin regulation	318/615	318/611; 318/619	Wise; William L
US 4553078 A	USPAT	19851112	Servo control booster system for minimizing following error	318/592	318/594; 318/601; 318/603; 318/619	Wise; William L
US 4423867 A	USPAT	19840103	Billiard cue with lateral offset	473/44	D21/726	Wise; William A D.
US 4277341 A	USPAT	19810707	Water treatment discharge means	210/602	210/150; 210/220; 210/258; 210/275; 210/617; 210/903	Wise; William F et al.
US 4145856 A	USPAT	19790327	Tolerance adjustment device	52/285.2	52/127.11; 52/240; 52/584.1	Wise; William L
US 4092530 A	USPAT	19780530	Feedback loop control system employing method and apparatus for stabilizing total loop gain and bandwidth	250/205	324/76.79; 372/31	Wise; William L
US 4081765 A	USPAT	19780328	Method and apparatus for	372/24	372/105; 372/20;	Berg; Anthony I

				providing a calibrated scan for a scanning laser		372/32; 372/93; 372/98	et al.
US 4058047 A	USPAT	19771115		Clamp nail	411/478	206/344	Kramer; Francis J. al.
US 4057948 A	USPAT	19771115		Locking device	52/584.1	52/265	Wise; William L
US 3893386 A	USPAT	19750708		Box baling machine and cart	100/50	100/139; 100/209; 100/229A; 100/233; 100/282; 100/3; 414/525.4; 414/525.5	Wise; William P
US 3787343 A	USPAT	19740122		TREATMENT OF COAL EXTRACTS	527/503		Robinson; Joseph Gordon et al.
US 3610262 A	USPAT	19711005		STOWABLE VANE SONIC THROAT INLET FOR JET AIRCRAFT NOISE SUPPRESSION	137/15.1	181/214; 415/119; 415/147; 415/208.1	Wise; William E
US 3571689 A	USPAT	19710323		CIRCUIT FOR SUPPLYING CONTROLLED DC LOADS FROM POLYPHASE AC SOURCES	388/819	318/800; 388/917	Wise; William L
US 3465043 A	USPAT	19690902		METHOD FOR THE PRODUCTION OF 2-BUTENAL [TEXT AVAILABLE IN USOCR DATABASE]	568/450	502/166; 502/174; 502/175; 502/201; 502/217; 502/223; 502/230	LINI DAVID C et al.
US 3231035	USPAT	19660125		Load weighing	177/139	177/141;	WISE

A				system [TEXT AVAILABLE IN USOCR DATABASE]		212/283; 414/21	WILLIAM M
US 3151944 A	USPAT	19641006		Apparatus for catalyst activation [TEXT AVAILABLE IN USOCR DATABASE]	422/144	422/146	COTTLE JOHN E et al.
US 2987487 A	USPAT	19610606		Catalyst activation [TEXT AVAILABLE IN USOCR DATABASE]	502/319	422/139	COTTLE JOHN E et al.
US 2920654 A	USPAT	19600112		Hydraulic weighing scale [TEXT AVAILABLE IN USOCR DATABASE]	92/116	177/208; 92/166; 92/255	WISE WILLIAM M
US 2756258 A	USPAT	19560724		Production of cyclohexanone oxime [TEXT AVAILABLE IN USOCR DATABASE]	564/259	564/264	WISE WILLIAM T
US 2741030 A	USPAT	19560410		Combination folding ruler, square and level [TEXT AVAILABLE IN USOCR DATABASE]	33/340	33/418; 33/451; 33/465; 33/485; 33/500	WISE WILLIAM F
US 2643873 A	USPAT	19530630		Hydraulic weighing scale and method of charging and conditioning the same [TEXT AVAILABLE IN USOCR DATABASE]	177/208	177/1	WISE WILLIAM M
US 2643872	USPAT	19530630		Hydraulic lift	177/208		WISE

A				scale [TEXT AVAILABLE IN USOCR DATABASE]				WILLIAM M
US 2643781 A	USPAT	19530630		Load weighing system for lift trucks and the like [TEXT AVAILABLE IN USOCR DATABASE]	414/21	100/99; 177/139; 177/141; 414/607; 414/700		WISE WILLIAM M
US 2620177 A	USPAT	19521202		Hydraulic weighing scale with overload safety mechanism [TEXT AVAILABLE IN USOCR DATABASE]	177/208	73/738		WISE WILLIAM M
US 2339310 A	USPAT	19440118		Gripper mechanism [TEXT AVAILABLE IN USOCR DATABASE]	101/409			WISE WILLIAM H et al.
US 1995829 A	USPAT	19350326		Apparatus for removing fibrous material from liquids [TEXT AVAILABLE IN USOCR DATABASE]	210/538	210/187; 210/220		WISE WILLIAM S
US 1754871 A	USPAT	19300415		Display sign [TEXT AVAILABLE IN USOCR DATABASE]	40/561			WISE WILLIAM P
US 1727849 A	USPAT	19290910		Vacuum cleaner [TEXT AVAILABLE IN USOCR DATABASE]	310/89	15/410		WISE WILLIAM J et al.
US 1689511 A	USPAT	19281030		Switch plug [TEXT	439/569	439/573; 439/689		WISE WILLIAM

				AVAILABLE IN USOCR DATABASE]				J et al.
US 1663365 A	USPAT	19280320		Brush for vacuum cleaners [TEXT AVAILABLE IN USOCR DATABASE]	15/369			WISE WILLIAN J et al.
US 1548082 A	USPAT	19250804		Fan for vacuum cleaners [TEXT AVAILABLE IN USOCR DATABASE]	415/228	15/412; 415/204; 416/185; 417/423.2		WISE WILLIAN J et al.
US 1524899 A	USPAT	19250203	7	Motor frame [TEXT AVAILABLE IN USOCR DATABASE]	310/66	310/217; 310/258		WISE WILLIAN J et al.
US 1496400 A	USPAT	19240603		Bearing for high-speed motors [TEXT AVAILABLE IN USOCR DATABASE]	384/291	417/423.2		WISE WILLIAN J et al.
US 1482533 A	USPAT	19240205		Combined bumper support, tire-carrier support, and spring-attaching device [TEXT AVAILABLE IN USOCR DATABASE]	224/490	224/42.26; 224/531; 224/533		WISE WILLIAN K
US 1480588 A	USPAT	19240115		Adjustable wheel for vacuum cleaners [TEXT AVAILABLE IN USOCR DATABASE]	16/19	280/43.2; 411/941		WISE WILLIAN J et al.
US 1443449 A	USPAT	19230130		Dust-bag connector [TEXT AVAILABLE IN USOCR	285/7	285/206; 285/910; 411/368; 5/288; 55/373;		WISE WILLIAN J et al.

				DATABASE]			55/374	
US 1420172 A	USPAT	19220620		Vacuum cleaner [TEXT AVAILABLE IN USOCR DATABASE]	15/414			WISE WILLIAN J et al.
US 1354710 A	USPAT	19201005		Swiveled hose- nipple [TEXT AVAILABLE IN USOCR DATABASE]	285/7	285/276		WISE WILLIAN J

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.